A Horticultural Vinegar Biopesticide - for Non-Selective Control of Herbaceous Broadleaf Weeds and Weed Grasses which Surround Food Crops, Non-food crops and Non-production Agricultural, Farmstead, Right-of-Way, and Institutional Land Sites.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals DANGER

rrosive - causes inseversible eye damage. Wear goggies or face shield when handling. Harmful it sorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on elothing. In case of nack, immediative flush reverse skin with neutro get water. Get medical attention if firstration

PERSONAL PROTECTION EQUIPMENT (PPE): Applicators and other handlers must wear appropriate protective eveneer, such as face shield or goggles and face mask (with MSHA/NIOSH approval number prefix such as 195, R-95, or P-95), long sleeved shirt and long pants, waterproof

loves and shoes plus socks. SER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE no such instructions exist for PPE, use detergent and hot water. Keep and wash PPE separately

SER SAFETY RECOMMENDATIONS: Users should: Wash hands before eating, drinking, chewing m, using tobacto or using the tollet. Remove clothing immediately if posticide gets inside. Then is thoroughly and put on clean clothing. Remove PPC immediately after handling this product. sh the outside of glows before removing. As soon as possible, wash thoroughly and change into ISER SAFETY RECO


ENVIRONMENTAL HAZAROS: This periods is toxic to binds exposed to spray diff, direct treatment or estidues on crops or weeds. Do not apply this product or allow to drift to crops or weeds if binds are actively visiting the treatment area. This period is toxic to fish and aquatic invertebrates. Per strial use only. Do not apply directly to water


Not share a set of the tion to reactive metals such as order to prevent staining, mottling contact, rinse the spraved surfaces

ADRICUTIONAL USE REQUIREMENTS Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural particulars. It contains requirements for the foreign environment of agricultural particulars, and an environment of agricultural particular sections instructions. ontamination, notification, and emergency assistance. It also contains specific instructions operations on this label about personal protective equipment (PPE) and exceptions pertaining for the tradement of the statement of the state addor personal protective supports of the state of the product state of the st

ocedure two more to , or by incineration.

4.ABCHCUTURAL USE REQUIREMENTS requirements in this has apply to asso of this product that are NOT Within the scope of the Worker tection Standard (WPS) for agricultural pesticides (40 GTR Part 170). The WPS applies when this duct is used to produce agricultural agricultural sets of lams, Investis, Juneries or greenhooses. Do not effert allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. Reep workerd persons or of the treated areas will spoy has indeed.











Storage and disposal, **STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage and disposal. **PESTURE STUDIE:** Rep from freezong Stora only in arginal tighty sealed container and out of reach of children. PESTURE STUDIE: The storage storage storage storage and disposal. PESTURE STUDIE: Rep Storage storage storage storage storage storage and disposal. PESTURE STUDIE: Rep Storage storage storage storage storage storage storage and disposal. PESTURE STUDIE: Rep Storage storage storage storage storage storage storage storage container. Character percently alter emptying: The frame as follows: Togy the remaining contents into application equipment or a mix tank and drain for 30 seconds after the flow begins to drap. Till the container St Multi hust are and explored. Drain for 10 seconds after the flow begins to drap, fill the container St Multi hust are and explored. Drain for 10 seconds after the flow begins to drap, fill the container St Multi hust are and explored. Drain for 10 seconds after the flow begins to drap. Till the container St Multi hust are and explored. Drain for 10 seconds after the flow begins to drap. Till the container St Multi hust are and explored by the percent of an application equipment or a mix tank or store finance for large storage and percent on equipment of a mix tank or store finance for large storage and percent on equipment of a mix tank or store finance for large storage and percent on equipment of a mix tank or store finance for large storage and percent on equipment of a mix tank or store finance for large storage storage storage store store finance for large store and store of the flow begins to drap. The store finance for large store finance for large store st

DISTRIBUTED BY: EcoClean Solutions Inc. Copaigue, New York 11726 Tel: (877) 416-6880 | www.greengobbler.com

PLEASE RECYCLE

EPA Establishment No: 93489-NY-1 EPA Reg. No: 85208-1-93489

FIRST AID: IF IN EVES: Hold eyelids open and flush with a steady, gentle stream of MIL IF M EXEMPTION TYPES USED TO A CONTRACT STREET, after the first 5 for 15-20 minutes. Remove contact lenses, if present, after the first 5 for, then contract insign eyes. Call a poissen control center or doctor for advis the contract of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the start of the contact of the contact of the contact of the contact of the start of the contact of the con Lancini, or of ymmetawic. WalkANTY STATURENT: To the eather required by Junk Ecoclaan warrants that the product conforms to its chemical description and is encounday if for the purposes stated on the label only when used in accordance with the label directions. Ecoclaan makes no other express or implied warrantis either of merchant-ability or fitness for a particular use and shall not beliable for missice conditions beyond its control, such as halfing or storage.

p a glass of water if shis to swellaw. Do not indexe ventiting poison control center or doctor. Do not give anything by us person. IF INHALED: Now person to fresh air. If person is or an ambulance, then give artificial respiration, preferably with child sectors.

able. Call a poison control center or dector for further

Destinent advoce. NOTET DO PHYSICIAIR: Probable mucesal damage may contraindicate the use of gastrici lange. Have the product container or label with you when calling a poiso control center or doctor, or gains for treatment. You may also contact 1-00-058-773 for energiency medical treatment.

Fr Organic Production Active Ingredient: Acetic Actic And 20.0% 1 Other Ingredients: 80.0% 1 Gal (3.79L) Static 100.0% - Expension to 200 grain vinespring thrulion

https://grass-killer.com



KEEP OUT OF Reach of Children DANGER PELIGRO: SI USTED NO ETIQUETS, BUSQUE A Alguien para que se la explique a usted en detalle. (F you do not understand the label,

FIND SOMEONE TO EXPLAIN IT TO YOU IN DETAIL.)

21% Vineger Weel Killer is a pick-acting, non-selective contact herbicide containing. Dabl Vigetabler: Sort as lact net limited to orion, green uniter, shoulds under an organic action wind the weak on degrade prompting the sort. Failur contact masks: Ledy Vigetabler: Sort as but net limited to orion, green uniter, should struct. Van Hann in prior delocation actioned of annual used and grazes, action group with existing to a sort device of the sort action of the sor

to meno, concreases, back magnitude, conjuento y nightshade. Lambsquarters, Mustant spp. Ocalis ap., Shepherdyourse, Smartweed (Ladyathumb), 44 WEEDS. Amaranth, spp. Cinquefoll (slivery), I, Toadilas, Tufted witch, Wild earnot, Hoss. ANNUAL GE: Quackgrass, Witchgrass, Bluegrass, SPRAY DIRECTLY ONTO FOOD CROPS

ex particular and a second a

oduct on unwanted weeds (vegetation) to the point of wetness. For best results cult full sumbine at temperatures above ICS degrees Fahrenheit. Since dilution of this appl 1. Will reduce effectiveness, do not dilute, Avoid spraving landscape plants. Plant

NOTE: ALL CONTACTED VEGETATION WILL BE AFFECTED. DO NOT ALLOW THIS PRODUCT TO COME IN CONTACT WITH DESIRVABLE PLANTS, OVERSPRAY OR DRFT WILL IN UNIT OR NUL CONTACTED VEGETATION INCLUDING ANY CHOP PLANTS. entals - Such as but not limited to woody ornamentals, potted cross

amarind, and phreapple. For all fruit crops spray must be directed under th

envy with sampled or headed spray equipment to w pinage at other upright crops where cultivation is and to tamate bell proper, chill proper, FSR SPUT TREATMENT APPLICATION Direct series with a single ed or applicator to thoroughly wet undesirable weed foliage. Re-tre

TER BREADCAST SPRAY APPLICATIONS: For broadcast

etables - Such as but not limited to onlon, green onlon, shallots and garfic sotables - Such as but not limited to colory, baad letture, laaf letture, sa

werle or a hand-ou

coverage. Apply race, but do not

FORT FOR CONTROL OF LARGER ANNUALS AND BURNDOWN OF PEREMULA, WEED GROWTH:

x40, TINNE OF APPLICATION: Best results are achieved from applications to actively growing area, yearg weeds. Weeds that are mature, domant, or hardened due to mustain stress are of the more tolerant of herbidde treatments. For best results stress in full surplices. young weeds. Woods that are mature, dormart, or hardened due to most tolerant of herbidde treatments. For best results spray temperatures above 65% Only contacted vegetation will be affected.

Terf and Orne foliage glants, greenhouses, shalehouses, and any other plant production structure in which the product can be applied without contacting desirable plants. Applications to

SEE LABEL SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS. er Vegetables - Soch as but för innnes to samm, polett, rithen för gr den beet leaves, sagar beet laaves. Do not broadcast within the gr